

I CLAIM:

1. Apparatus for supporting an audio/video system, said system including a thin screen video display unit, video components for generating displayable video signals and audio components for generating audio signals, said apparatus comprising:
 - (a) an exterior housing comprising a front panel, a rear panel, and opposed side panels extending between said front and rear panels and upwardly from a base of said housing to a top of said housing, said top including a narrow, elongated opening sized to permit upward and downward movement of said display unit through said opening, said video components and said audio components being fixedly mounted to said housing; and,
 - (b) an elevator mechanism for said display unit, said mechanism extending upwardly within said exterior housing, said mechanism comprising:
 - (i) an elevator platform adapted to carry said display unit; and,
 - (ii) means for moving said platform between a lower position where said display unit when carried by said platform is retracted into said mechanism and an upper position where said display unit when carried by said platform is deployed above said mechanism and said exterior housing.
2. Apparatus as defined in claim 1, wherein said platform has opposed ends, each end being carried by an associated drive belt drivable by an associated motor for moving said platform between said upper and lower positions.
3. Apparatus as defined in claim 1, further including a swivel mounting for supporting said display unit and permitting rotational movement thereof with respect to said platform when said platform is in said upper position.
4. Apparatus as defined in claim 2, further including a swivel mounting for supporting said display unit and permitting rotational movement thereof with respect to said platform when said platform is in said upper position.
5. Apparatus as defined in claim 1, wherein said front panel is attached to said base and wherein said rear panel, said side panels and said top are formed as a single unit which is removably connectable with said base.

6. Apparatus as defined in claim 2, wherein said front panel is attached to said base and wherein said rear panel, said side panels and said top are formed as a single unit which is removably connectable with said base.
7. Apparatus as defined in claim 3, wherein said front panel is attached to said base and wherein said rear panel, said side panels and said top are formed as a single unit which is removably connectable with said base.
8. Apparatus as defined in claim 4, wherein said front panel is attached to said base and wherein said rear panel, said side panels and said top are formed as a single unit which is removably connectable with said base.
9. An audio/video system, said system comprising:
 - (a) a thin screen video display unit, video components for generating displayable video signals and audio components for generating audio signals;
 - (b) an exterior housing comprising a front panel, a rear panel, and opposed side panels extending between said front and rear panels and upwardly from a base of said housing to a top of said housing, said top including a narrow, elongated opening sized to permit upward and downward movement of said display unit through said opening, said video components and said audio components being mounted to said housing; and,
 - (c) an elevator mechanism for said display unit, said mechanism extending upwardly within said exterior housing, said mechanism comprising:
 - (i) an elevator platform carrying said display unit; and,
 - (ii) means for moving said platform between a lower position where said display unit is retracted into said mechanism and an upper position where said display unit is deployed above said mechanism and said exterior housing.
10. Apparatus as defined in claim 9, wherein said platform has opposed ends, each end being carried by an associated drive belt drivable by an associated motor for moving said platform between said upper and lower positions.
11. Apparatus as defined in claim 9, further including a swivel mounting for supporting said display unit and for permitting rotational movement thereof with respect to said platform when said platform is in said upper position.

12. Apparatus as defined in claim 10, further including a swivel mounting for supporting said display unit and for permitting rotational movement thereof with respect to said platform when said platform is in said upper position.
13. Apparatus as defined in claim 9, wherein said front panel is attached to said base and wherein said rear panel, said side panels and said top are formed as a single unit which is removably connectable with said base.
14. Apparatus as defined in claim 10, wherein said front panel is attached to said base and wherein said rear panel, said side panels and said top are formed as a single unit which is removably connectable with said base.
15. Apparatus as defined in claim 11, wherein said front panel is attached to said base and wherein said rear panel, said side panels and said top are formed as a single unit which is removably connectable with said base.
16. Apparatus as defined in claim 12, wherein said front panel is attached to said base and wherein said rear panel, said side panels and said top are formed as a single unit which is removably connectable with said base.